



TALKAPHONE

EMERGENCY PHONE MOUNTS

# ETP-MT SERIES EMERGENCY PHONE TOWER

TALKAPHONE'S ETP-MT EMERGENCY PHONE TOWER IS AN IDEAL SECURITY SOLUTION FOR REMOTE AND HIGH-RISK AREAS. STANDING OVER NINE FEET TALL, THIS VANDAL-RESISTANT TOWER SERVES AS A GREAT DETERRENT TO CRIME.

## FEATURES

- Attention-getting LED Blue Light is included and mounted atop the unit. The LED Blue Light is continuously lit and flashes for duration of a call when "EMERGENCY" button is pressed to draw attention to the unit.
- Emergency Phone faceplate is illuminated at all times by an LED Panel Light.
- Vandal-resistant structure and coating designed to resist extreme weather conditions.
- A variety of signage, graphics, and color choices are available.
- Easily mount any Talkaphone ETP-500 Series, VOIP-500 Series or VOIP-600 Series Emergency/Information Phone into the unit (sold separately).
- ADA-compliant.




	ETP-MT Emergency Phone Tower	ETP-MT-OP4 Emergency Phone Tower with CCTV Arm	ETP-MT-72 Emergency Phone Tower
			
Construction:	0.25 inch steel	0.25 inch steel	0.25 inch steel
Dimensions (WxDxH):	10.0 x 8.0 x 114.2 in. (254 x 203 x 2901 mm)	10.0 x 17.0 x 168.16 in. (254 x 431.8 x 4271.26 mm)	10.0 x 8.0 x 72 in. (254 x 203 x 1829 mm)
Weight:	300 lbs. (136 kg)	350 lbs. (159 kg)	185 lbs. (84 kg)
Coating:	High-gloss, multi-layer, corrosion-inhibitive system with resistance to UV-fade and graffiti protection	High-gloss, multi-layer, corrosion-inhibitive system with resistance to UV-fade and graffiti protection	High-gloss, multi-layer, corrosion-inhibitive system with resistance to UV-fade and graffiti protection
Colors:	Safety Blue is standard. Available in any color for no extra charge.	Safety Blue is standard. Available in any color for no extra charge.	Safety Blue is standard. Available in any color for no extra charge.
Signage:	3.25 in. high reflective white "EMERGENCY" lettering with wide-angle visibility is standard. Available in custom colors, lettering, and graphics.	3.25 in. high reflective white "EMERGENCY" lettering with wide-angle visibility is standard. Available in custom colors, lettering, and graphics.	3.25 in. high reflective white "EMERGENCY" lettering with wide-angle visibility is standard. Available in custom colors, lettering, and graphics.
Lighting:	LED Blue Light: 209 lumens peak, 78 flashes per minute, 70% of initial lumens after 50,000 hours of operation LED Panel Light: Ultra bright LEDs, 50,000 hour lifetime	LED Blue Light: 209 lumens peak, 78 flashes per minute, 70% of initial lumens after 50,000 hours of operation LED Panel Light: Ultra bright LEDs, 50,000 hour lifetime	LED Blue Light: 209 lumens peak, 78 flashes per minute, 70% of initial lumens after 50,000 hours of operation LED Panel Light: Ultra bright LEDs, 50,000 hour lifetime
Power:	LED Blue Light: 7.8 watts, 120 VAC, 12-24VDC/24VAC LED Panel Light: 1.2 watts, 12-120VAC/DC	LED Blue Light: 7.8 watts, 120 VAC, 12-24VDC/24VAC LED Panel Light: 1.2 watts, 12-120VAC/DC	LED Blue Light: 7.8 watts, 120 VAC, 12-24VDC/24VAC LED Panel Light: 1.2 watts, 12-120VAC/DC
Mounting:	Mounts into concrete foundation using included hardware (shipped in advance). Mounting options available for pre-poured parking decks.	Mounts into concrete foundation using included hardware (shipped in advance). Mounting options available for pre-poured parking decks.	Mounts into concrete foundation using included hardware (shipped in advance). Mounting options available for pre-poured parking decks.

## Approvals

ETL Recognized Component -- Conforms to UL Standards 60950-1 and 60950-22. Certified to CSA Standard C22.2 Nos. 60950-1 and 60950-22.



**DIMENSIONAL DRAWING**



**Options**

Parking Deck Mounting Kit:  
Order model ETP-PDMK-2 to mount on pre-poured parking deck.

Add to Model:	Description:
OP2	Fixed camera housing frame (e.g. ETP-MT-OP2)
PCS	Includes provision for Power Charging System (PCS sold separately) -- internal shelf and mounting panel (e.g. ETP-MT-PCS)
OP3IP	Includes fixed Axis IP camera (e.g. ETP-MT-OP3IP)



**TALKAPHONE**

THE LEADERS IN SECURITY AND LIFE SAFETY COMMUNICATIONS

7530 North Natchez Avenue  
Niles, Illinois 60714

Tel: 773-539-1100  
Email: [info@talkaphone.com](mailto:info@talkaphone.com)  
Web: [www.talkaphone.com](http://www.talkaphone.com)