

# ETP-SM-1 SERIES SURFACE MOUNT ACCESSORY



TALKAPHONE CALL STATION
INDOORS OR OUTDOORS AND
IDENTIFY THE LOCATION OF A CALL
STATION WITH HIGH REFLECTIVE
LETTERING ON BOTH SIDES.
THE UNIT IS CONSTRUCTED OF
DURABLE STAINLESS STEEL,
CAPABLE OF WITHSTANDING
HARSH ENVIRONMENTS.

#### **FEATURES**

- Durable housing for mounting a call station outdoors on a wall, pole or kiosk
- 16GA stainless steel
- Vandal-resistant stainless steel construction
- Designed to resist extreme weather conditions
- A variety of signage, graphics and color choices are available

	ETP-SM-1 Surface Mount
Construction:	Painted: 304 stainless steel
	Stainless: 316 stainless steel
Dimensions (W x H x D):	8.87 x 11.87 x 3.37 in. (225 x 301 x 85 mm)
Weight:	4.35 lbs. (1.97 kg)
Lettering	A variety of signage, graphics and color choices are available
Mounting:	Mounts to a wall or straps to a pole or kiosk
Call Station Options	VOIP-500 and 600 Series IP Call Stations, ETP-500 Series Analog Call Stations
Approvals	ETL Recognized Component Conforms to UL Standards 60950-1 and 60950-22. Certified to CSA Standard C22.2 Nos. 60950-1 and 60950-22.  Line Line Line Line Line Line Line Line

#### **ADDITIONAL FINISH OPTIONS**



ETP-SM-1-SS and VOIP-600E
316 Stainless Steel Surface Mount




ETP-SMH-1 and VOIP-500E
Painted 304 Steel Surface Mount

#### TALK-A-PHONE CO. LIMITED WARRANTY


Talk-A-Phone Co. warrants Talk-A-Phone Emergency Phone, Wide-Area Emergency Broadcast System (WEBS®), and Area of Rescue equipment against any defects in material and workmanship, under normal use, for a period of twenty-four (24) months from date of installation, provided that Talk-A-Phone receives a completed "Installation Certification" certifying the date on which the system has been installed. An "Installation Certification" card is enclosed with every unit. In the event that no "Installation Certification" is received by Talk-A-Phone, the twenty-four (24) months will commence on the date of shipment by Talk-A-Phone. Warranty period for Models ETP-MT Tower, ETP-MT/R Radius Tower, WEBS-MT/R Radius Tower, WEBS-PM Pedestal Mount, and ETP-PM Pedestal Mount is five (5) years, under the same terms and conditions. Warranty period for Intercommunication Products is three (3) months, under the same terms and conditions. In the event this product is found by Talk-A-Phone to be defective within the warranty period, Talk-A-Phone's only obligation and your exclusive remedy, shall be the repair and/or replacement of any defective parts, provided the equipment is returned to Talk-A-Phone Co., 7530 N. Natchez Ave., Niles, IL 60714. It is expressly understood that Talk-A-Phone shall have no obligation to furnish labor, nor pay for the labor of any third parties, nor bear the expense of shipping defective products for repair. This warranty shall not apply if Talk-A-Phone determines that the defect was caused by improper use or installation, or damage caused to the equipment by others.

	Hooded Surface Mount
	TALKAPHONE  MANAGE   MANAGE
Model:	ETP-SMH-1: Surface mounted call box with slim faceplate fit and hooded protection
Construction:	16 gauge 316 stainless steel construction
Dimensions (W x H x D):	9.25 x 12.25 x 6.00 in. (234 x 311 x 152 mm)
Weight:	12 lbs (3.6 kg)




### **DIMENSIONAL DRAWING**

All dimensions are in inches and are provided for reference only.



ETP-SM-1



ETP-SMH-1



THE LEADERS IN SECURITY AND LIFE SAFETY COMMUNICATIONS

7530 North Natchez Avenue Niles, Illinois 60714 Tel: 773-539-1100

Email: info@talkaphone.com Web: www.talkaphone.com

## Custom Signage:

Custom signage is available in a variety of languages.

## Colors

Safety yellow painted stainless steel is standard. Available in custom colors or brushed stainless steel.

Rev. 07/12/18