TALKAPHONE

ETP-WM-AED-1 DEFIBRILLATOR WALL MOUNT EMERGENCY PHONE STATION



TALKAPHONE'S ETP-WM-AED-1 ADDS A CONTROLLED-ACCESS COMPARTMENT THAT WILL FIT VIRTUALLY ANY AED (AUTOMATIC EXTERNAL DEFIBRILLATOR) TO THE MOST ROBUST AND STYLISH WALL MOUNTED EMERGENCY PHONE STATION AVAILABLE. THE WALL MOUNT OFFERS CONTEMPORARY ARCHITECTURAL STYLING AND IS CONSTRUCTED OUT OF DURABLE STAINLESS STEEL. AN ALWAYS-LIT LED BLUE LIGHT PROVIDES HIGH VISIBILITY AND GIVES PASSERS-BY

FEATURES

- Secured, recessed chamber to house AED unobtrusively
- Optional thermostatically controlled heater for AED compartment maintains temperature above freezing
- AED door can be either unlocked immediately at the initiation of a phone call or remotely by a guard as determined by the installer
- Attention-getting LED Blue Light is included and mounted inside a polycarbonate housing. The LED Blue Light is continuously lit and flashes for duration of a call when "EMERGENCY" button is pressed to draw attention to the unit.
- Emergency Phone is illuminated at all times by an LED Panel Light
- Vandal-resistant stainless steel construction
- Designed to resist extreme weather conditions
- A variety of signage, graphics and color choices are available
- ADA-compliant

SPECIFICATIONS

Construction:	12GA (.105 in.) brushed stainless steel with impact-resistant polycarbonate lens and resistance to UV-fade
Dimensions (WxDxH):	15 x 9.59 x 50.13 in. (381 x 243.586 x 1273.302 mm)
Supported AED Dimensions (W x D x H):	12.0in X 14.0in X 7.0in (304.8 x 355.6 x 177.8 mm)
Weight:	65lbs. (22.2 kg)
Colors:	Brushed stainless steel is standard. Available painted in custom colors.
Lettering:	2 in. high reflective red "EMERGENCY" lettering with wide- angle visibility is standard. Available as "ASSISTANCE", "INFORMATION", or custom lettering, colors and graphics.
Lighting:	LED Blue Light: 209 lumens peak, 78 flashes per minute, 70% of initial lu- mens after 50,000 hours of operation LED Panel Light: Ultra bright LEDs,
	50,000 hour lifetime
Mounting:	Mounts to a wall. Straps to a pole or kiosk with optional ETP-PMKT-1.
Warranty:	5-year limited warranty on wall mount
	2-year limited warranty on electronics
Approvals	ETL Recognized Component Conforms to UL Standards 60950-1 and 60950-22. Certified to CSA Standard C22.2 Nos. 60950-1 and 60950-22.

OPTIONS

ETP-WM-AED-1 Configuration	Emergency Phone Options
Analog Connectivity	ETP-500 Series Phone
IP Connectivity	VOIP-600 Series Phone

ETP-WM-AED-1 includes an LED Blue Light and LED Panel Light. Emergency Phone is sold separately. AED to be provided by others (i.e. not Talkaphone).

ACCESSORIES

Pole Mounting Kit: Order ETP-PMKT Pole Mounting Kit for

strapping ETP-WM-AED-1 to a pole.

Strapping Tool: Order ETP-PMKT-TOOL Strapping Tool for use with ETP-PMKT-1 Pole Mounting Kit.


TALKAPHONE LLC LIMITED WARRANTY


Talkaphone LLC warrants Talkaphone Emergency Phone, Wide-Area Emergency Broadcast System (WEBS®), and Area of Rescue equipment against any defects in material and workmanship, under normal use, for a period of twenty-four [24] months from date of installation, provided that Talkaphone receives a completed "Installation Certification" certifying the date on which the system has been installed. An "Installation Certification" card is enclosed with every unit. In the event that no "Installation Certification" is received by Talkaphone, the twenty-four [24] months will commence on the date of shipment by Talkaphone. Warranty period for Models ETP-MT Tower, ETP-MT/R Radius Tower, WEBS-MT/R Radius Tower, WEBS-PM Pedestal Mount, and ETP-PM Pedestal Mount is five [5] years, under the same terms and conditions. Warranty period for Intercommunication Products is three (3) months, under the same terms and conditions. In the event this product is found by Talkaphone to be defective within the warranty period, Talkaphone's only obligation and your exclusive remedy, shall be the repair and/or replacement of any defective parts, provided the equipment is returned to Talkaphone LLC., 7530 N. Natchez Ave., Niles, IL 60714. It is expressly understood that Talkaphone shall have no obligation to furnish labor, nor pay for the labor of any third parties, nor bear the expense of shipping defective products for repair. This warranty shall not apply if Talkaphone determines that the defect was caused by improper use or installation, or damage caused to the equipment by others.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.


DIMENSIONAL DRAWING

All dimensions are in inches and are provided for reference only.





(h 27 (4)





THE LEADERS IN SECURITY AND LIFE SAFETY COMMUNICATIONS

7530 North Natchez Avenue Niles, Illinois 60714

Tel: 773-539-1100 Email: info@talkaphone.com Web: www.talkaphone.com