AC-WM-6 SERIES


TALKAPHONE

VIA™ MASS TRANSIT WALL MOUNT



CALL

TRIF



FEATURES

- Includes a VOIP-200 Series Compact IP Call Station and emergency trip switch
- Blue LED light band flashes to indicate when call station is activated
- 16 GA, steel construction

- 12 GA, 316 stainless steel front panels
- Vandal-resistant with coating designed to resist extreme weather conditions
- ADA-compliant

GENERAL SPECIFICATIONS	AC-WM-6 Series	
Construction:	Wall Mount: 16GA (0.06") steel Front Panels: 12GA (0.105") 316 stainless steel	
	Wall mount is rated NEMA 3R	
	Call station is rated IP66	
Dimensions (W x H x D):	9.12 x 30 x 4.03 in. (231.6 x 762 x 102.3 mm)	
Weight:	20 lbs. (9 kg)	
Colors:	Black with stainless steel front panels is standard. Custom paint colors available.	
Lighting:	LED Light Band: Ultra-bright blue LEDs that flash when activated by call station	
Mounting:	Mounts to wall	
Power	24VDC (110VAC supported with optional power supply)	





IP Video Attendant Station










VOIP-200H3

ORDERING INFORMATION

Base Model	Mount Type	Configuration Number	VOIP-200 Series Model
AC-	WM- Wall Mount	1 Call station with emergency trip switch	C Includes VOIP-200C C3 Includes VOIP-200C3 H Includes VOIP-200H H3 Includes VOIP-200H3
Example: AC-WM-1C3			
AC-	WM-	6	С3

DIMENSIONAL DIAGRAMS

All dimensions are in inches and are provided for reference only.



1.41 0 KNOCKOUT FOR 0.5" AND 0.75" CONDUITS

TOP VIEW

L TALKAPHONE

THE LEADERS IN SECURITY AND LIFE SAFETY COMMUNICATIONS

7530 North Natchez Avenue Niles, Illinois 60714 Tel: 773-539-1100 Email: info@talkaphone.com Web: www.talkaphone.com

ACCESSORIES:

IP Video Attendant Station: Model: AVM-1:

• Displays video from IP call station with IP camera for monitoring access to facilities.

 Multiple call stations can be connected to multiple master stations to create a robust access control system. AVM-1 can support up to 30 call stations.

TERMS OF USE AND LIMITED WARRANTY

Talk-A-Phone, LLC warrants Talk-A-Phone Emergency Phone, Call Station, Wide-Area Emergency Broadcast System, and Area of Rescue equipment against any defects in material and workmanship, under normal use, for a period of twenty-four (24) months from date of installation, provided that Talk-A-Phone receives a completed "Installation Certification" certifying the date on which the system has been installed. An "Installation Certification" card is enclosed with every unit. In the event that no "Installation Certification" is received by Talk-A-Phone, the twenty-four (24) months will commence on the date of shipment by Talk-A-Phone. Warranty period for the metal elements of models in the GP Series Pedestals, MT Series Towers, MTE Series Towers, MT/R Series Towers, PM Series Pedestals, SM Series Surface Mounts, VIATM Series Mounts, and WM Series Wall Mounts is five (5) years, under the same terms and conditions. Warranty period for Intercommunication Products is twelve (12) months, under the same terms and conditions.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. Copyright 2019 Talk-A-Phone, LLC All Rights Reserved

Rev. 1.1 08/30/18