

ETP-PMD Dual Faceplate Pedestal Mount

Description

Model **ETP-PMD** is a freestanding dual faceplate pedestal mount that allows an ETP-500, VOIP-500, or VOIP-600 Series Call Station to be mounted practically anywhere. An additional faceplate allows a card reader, camera, directory, or third-party device to be mounted above the call station.

Features

- Constructed of vandal resistant 1/4-inch steel with slanted top
- Pedestal features 2-inch radius corners, offering contemporary architectural styling
- Easily mount any ETP-500, VOIP-500, or VOIP-600 Series Call Station
- Faceplates are lit at all times by ultra bright LEDs
- Secondary plate available in stainless or aluminum for mounting a card reader, camera, directory, or third-party device
- Available in a variety of colors with optional reflective lettering on the sides

Specifications

Dimensions (W x H x D):	12.0 x 60.1 x 8.0 in. (305 x 1,527 x 203 mm)
Weight:	180 lbs. (81.6 kg)
Construction:	0.25 in. (6.3 mm) steel with multi-coat rust inhibitive coating
Lettering:	3.25 in. (82.5 mm) high reflective lettering—available in other colors, lettering, and graphics
Lighting:	Ultra bright LEDs, 50,000 hour lifetime
Power:	LED Panel Light: 1.2 watts max, 12-24VAC/DC, 120VAC
	Emergency Phone: ETP-500 Series Analog Call Stations (sold separately), powered by a phone line; VOIP-500/VOIP-600 Series IP Call Stations (sold separately), powered by 12VDC, 24VAC/DC, or PoE
Mounting:	Mounts into concrete foundation using included hardware (shipped in advance)
Approvals:	ETL Recognized Component – Conforms to UL Standards 60950-1 and 60950-22. Certified to CSA Standard C22.2 Nos. 60950-1 and 60950-22.
Limited Warranty:	2-year limited warranty for electronics 5-year limited warranty for metal components



*ETP-PMD shown with
VOIP-600E and 25141 blank
stainless steel faceplate*



CALL STATION MOUNTS

ETP-PMD Dual Faceplate Pedestal Mount

Options

ETP-PMD Configuration	Emergency Phone	Wireless Option	Faceplate Camera Option	Pedestal Options
Analog Connectivity	400 Series Analog Phone	ETP-CI (cellular)	Add “-OP3” to any Emergency/ Information Phone for an integrated color camera mounted behind the faceplate	Stainless Option: Model ETP-PMD-SS is made of 3/16” brushed stainless steel
IP Connectivity	500 Series VoIP Phone	VOIP-RF (2.4GHz radio frequency)		Single Opening Option: Model ETP-PM (12"W x 8"D x 48"H) is 4 feet tall and has room for one hands-free phone or other device (wireless option)


Accessories

Blank Stainless Plate: Model **25141** is a blank stainless faceplate for mounting additional devices
Blank Aluminum Plate: Model **25155** is a blank aluminum faceplate for mounting additional devices

Dimensional Diagram

CALL STATION MOUNTS

ETP-PMD Dual Faceplate Pedestal Mount



All dimensions are in inches